

ఒక హెక్టారుకు 10.220 కేర్రాల ధాన్యపు దీగుబడి!

శ్రీ సి.టి. వెంకటాచలం

C/o శ్రీ తిరుమలై స్వామి గౌడర్ వెట్యుక్కరవ

పుత్తూరు-642 129 పోలాప, కోయంబూర్ జిల్లా, తమిళనాడు.

ఫ్యాక్టంపోస్ 20-20-0-15 ను ఆమోదించడం మొదలుపెట్టి, అత్యధిక పంటదీగుబడిని సాధించిన శ్రీ సి.టి. వెంకటాచలం గారికి మా అభినందనలు! గంధకము లేని ఎరువులు వరుసగా వాడినట్లయితే, అరవ పంటనుంచి భూమిలో గంధకపు లోపం వలన పంట దీగుబడి తగ్గుతుందని పరిశోధనల ద్వారా ఋణావయోచి

అందువల్లనే, 20% సత్రజని మరియు 20% ధాన్యరముతోపాటు 15% గంధకము కలిగియున్న ఫ్యాక్టంపోస్ 20-20-0-15 ఎంతో అనువైన ఎరువు. ఇంతకాకుండా ఇందులోని సత్రజని అంతా అమ్మోనియల్ రూపంలోను, ధాన్యరం ఏటిలో పూర్తిగా కలిగేదిగాను, మరియు గంధకము సర్వేలు రూపంలోను ఉండటం వలన ముక్కలు పోషక పదార్థాలన్నింటిని చక్కగా పీల్చుకోవలయు. ప్యర్లమయ్యే ప్రశ్నే లేదు.

ఫ్యాక్టంపోస్ 20-20-0-15 ను మారూ ఆమోద

మంచి నాణ్యతగల దీగుబడులను అధిక లాభాలను గుర్తించు కలిగియున్న ఒకేఒక కార్పొరేట్ ఎరువు

గింది అత్యధిక పంట దీగుబడులను సాధించింది!

ది ఫర్టిలైజర్స్ అండ్ కెమికల్స్

(ట్రావంకోర్ లిమిటెడ్)

(తారక ప్రభుత్వ సంస్థ)

చూడండి ఆద్యగమండ్ల-683 601 కొచ్చిన్.

నెలవూ టెక్స్: 10-2-289/7 కాంబినేషన్ కాలని.

ప్రచారభావ: 590 028

ఫ్యాక్టంపోస్ 20-20-0-15

భా ర త వ భు క్ష ము
సెంట్రల్ ఇన్స్టిట్యూట్ ఆఫ్ షిషర్స్ నాటివల్ &
ఇంజనీరింగ్ కలెజియన్

కొచ్చిన్ - 16
ప్రవేశపు ప్రకటన

1.	నెలకల్ల బునిపిల్లమ్మార్ ఆనీ పిడవేల నార్కల్ ఆంబలింగేగి క్రాంతింగి కార్వొంగి నంద మరుమ మద్రాసు మరుమ పీఠావస్థానంలోని దీని యూనిట్ల 1984 నవంబర్ / ముది ప్రారంభం కామన్స్ థా దిగవ తేలెన క్రాంతింగి కార్వొంలో ప్రావే మదే / చుక్కగల్ ఇంజిన్లవ్వా ద్వారా ప్రవేశమవునెత్త పిట్ట పాంథార్ ఆల్ఫు రైన అమర్లం నుంచి దిగద్రావం కొరబడబడునని, తేల్యం నానంబుల నైను నువ్వు ఇల్లంగి/హిందీ నంద తుమ్ నరకృపాంధడమని.	
2.	కోర్పు	కాపలపిట్ట
i)	చేక పింగ్ వెన్నార్	సిల్ల నంబు
	18 నెం	60

ii) ಇಂಟರ್ ಡ್ವೈಟ್ ಬಿಡಿಂಗ್ ವ್ಯವಸ್ಥೆ 18 ವೇದಾ 40
 ಅನ್ವಯ: (1) ಸಮವೇತನಾ ಇಂಟರವೇಷನ್: 10 ವರ್ಷದವರಿಗೆ ಈ ವ್ಯವಸ್ಥೆ
 ಪ್ರವೇಶವಾಗುವುದು. (2) ಕ್ಲಾಸಿಗಲರಿ: 18 ವರ್ಷಕ್ಕಿಂತ ಹೆಚ್ಚಿನವರಿಗೆ ಬಿಡಿಂಗ್ ವ್ಯವಸ್ಥೆ
 ಅನ್ವಯಿಸುತ್ತದೆ. (3) ಕಡತಗಳು: 17 ವೇದಾ 0 ವರ್ಷದವರಿಗೂ ಬಿಡಿಂಗ್ ವ್ಯವಸ್ಥೆ

[illegible]

(1) దొంగలు (2) బాపిలే (3) కలకత్తా (4) కొచ్చిన్ (5) బీరూర్

(6) గొర్రె (7) రోడ్డు (8) పాట (9) చుట్టూ (10) నీలవర్ణము.

అక్షరాలకు వరగావు పాఠ్య పుస్తకమునకును, 6/- అండ్ రెవెన్యూ డివిజన్ లోను లభ్యమైనట్లైతే ఇవిని ద్వారా అని పేరుతో నవరత్న గ్రామీణ విద్యా కేంద్రములో కార్యకర్తలను 6- నెలల పాటు పాఠ్య పుస్తకము వల్లించునట్లు ప్రాథమిక అక్షరాల అర్హత ద్వారా చెల్లెల్ల వ్యవసాయ పనులనుగూడ పాఠ్యపు (90 వైసల అక్షరాల) అర్హత కనుక పంపి చెల్లెల్ల. C/NEP, పి.డి. నెం. 1722

అక్షరాల 16 నెలల పాటు పాఠ్య పుస్తకములో నవరత్న గ్రామీణ విద్యా కేంద్రములో

[illegible]

1984 నవంబరు 30 తేదీన పంపించిన. దాఖ 539/137/84

On behalf of the President of India, the Director, Directorate of Purchase and Stores, Department of Atomic Energy, Bombay, invites

renders as detailed below. The price of the tender documents is indicated in brackets against each item:

1. DPS : NFC : IAB : 234 due on 3.9.84 (Rs. 25)
Copper Crucibles-Qty. 4 Nos.
2. DPS : BARG : ENG : 17252 due on 10.9.84 (Rs. 25)
Supply of Dixon tower packing for distillation column in the form of

3. DPS: HWP: ENG: 1739 due on 11.9.84 (Rs. 25)
Supply, fabrication and inspection of chemically milled perforated plates as per purchaser's specification and drawing-Qty. 350 Nos.

5. DPS : NFC : ENG : 607 due on 13.9.84 (Rs. 75)
Silicon Carbide Waterproof endless abrasive cloth belts of various
sizes as per purchaser's specification-Qty. 35,000

6. DPS : BANC : ELEC : 1250/1600 ONAN/ONAB Outdoor type transformers to Blabha Atomic Research Centre, Trombay, Bombay-400 085, as per the purchaser's tender specifications-Qty. 2 nos.

8. DPS : NAPP : PPED : FAS : 241 due on 19.9.84 (Rs. 35)
Manufacture of components, inspection, assembly, testing, guarantee
of mechanical short off rod assembly as per Purchaser's tender
documents-Qty. 40 Nos.

Supply of transformers cut order type: high voltage-250 KV/1.32 KV, 1250 KVA, 12500, type-VGMB-2300 High high voltage to ground-138 KV Insulation class-HV-H1-2-230KV, H-2-5KV to Rajasthan Atomic Power Project, Kota, as per Purchaser's specification-Qty. 2 Nos.

11. DPS : BARC : EEQ : 6036 due on 21.9.84 (Rs. 25) : Design, manufacture, inspection, testing, packing, delivery and guarantee of low distortion AC Test supply complete unit rated at 0.15 KV, 100 milli-amp. Rating to Bhabha Atomic Research Centre, Trombay, Bombay-400 025, as per the purchaser's tender specifications.

12. DPS : NFC: ELE : 184 due on 24.9.84 (Rs. 25)
Manufacture, inspection, testing and supply of water cooled cables

in length of 5 and 10 Mtrs. with connecting flange and as per tender specification to Nuclear Fuel Complex. Hyderabad-Qty. 22 Nos.

14. DPS : O&M : EQ : 117 due on 24.9.84 (Rs. 10)
Supply of Electro pneumatic converters to Rajasthan Atomic Power Project, Kota, as per purchaser's specifications-Qty. 5 Nos.

15. DPS : R&M : CAP : 23 due on 25.9.84 (Rs. 25)

Pinch type plate bending/rolling machine with bending speed of 6 to 8 mtr./min. Thickness of sheet 12 mm as per purchaser's specification-Qty. 1 No.

16. DPS : NFC : EEQ : 206 due on 26.9.84 (Rs. 25)
Supply of AC/DC Tig Welding Unit to Nuclear Fuel Complex, Hyderabad, Rs. 40 as per the purchaser's specification-Qty. 1 No.

17. DPS : PPED : ELF : 249 due on 20.9.84 (Rs. 25)
Manufacture, inspection, testing and supply of immersion Heating
elements as per our tender specification and drawing-Qty. 3 Nos.

18. DPS : KAPP : PPED : CAP : 38 due on 28.9.84 (Rs. 75)
Air Drying Plant with all the accessories as per purchaser's specifica

19. DPS : PPED : KAPP : TPT : 85 due on 28.9.84 (Rs. 100)
Design, manufacture, assembly, inspection, shop testing and delivery properly packed to site, a set of identical plate heat exchangers as specified in Purchaser's Tender Document, complete with all auxiliaries and accessories, for a nuclear power project having two units with a generating capacity of 235 MWe. The set of heat

Tender documents at the rates mentioned above and General conditions of contracts priced 50 Paise each except items 8 and 19 can be had from the **Finance and Accounts Officer, Department of Atomic Energy, Directorate of Purchases and Stores, 3rd Floor, Mohatt**

on all working days except on Saturday. 'Import Licence' will be provided only if the items are not available indigenously except item 6, 8, 11, 13, 14, 16 & 17 Tenders will be received upto 3 p.m. of the due date shown above and will be opened at 4 p.m. on the same day. The right is reserved to accept or reject lowest or any tender(s).

in part or full without assigning any reason.

